



# WaterWeights

A Unique Group Company


## Indoor Large Digit Displays



**Water Weights large digit displays are designed for integration with our standard and customized load measuring systems.**

Features include:

- RS232, RS485 or 20 mA Protocol
- 24 VAC or DC Power Input
- 5.5-inch (14cm) Height
- 125 ft Viewing Distance in Normal Light
- Aluminum Case with Plexiglas Faceplate
- 20°C to 60° C (-4° to 140° F) Operating Temperature
- Unit Weight is 5.25 Pounds (2.4 kg)





## Outdoor Rugged Large Digit Displays


**Water Weights large digit displays are designed for integration with our standard and customized load measuring systems.**

### Features include:

- RS232, RS485 or 20 mA Protocol
- 24 VAC @ or 115 VAC Power Input
- 5.5-inch (14cm) Height
- 125 ft Viewing Distance in Normal Light  
75 Feet in Daylight
- Powder Coated Steel Case with Lexan Face Plate
- 20°C to 60° C (-4° to 140° F)  
Operating Temperature
- Unit Weight 32 lbs



**The 12-gauge steel case and 3/8-inch Lexan protects the display from harsh environments**





## Timer/Counter/Hour Usage Clock Displays

### **SERIES 6300 TIMER/COUNTER/CLOCK**

The 6300 Series display is the most versatile display that we have to offer. The display has large 5.5" tall numbers that are visible up to 125 feet featuring a black extruded aluminum case with red LEDs.

### **REMOTE CONTROL**

The wireless remote control allows you to advance the numbers, go back a number, reset the numbers, and set up the programming. Multiple remotes can be used on one or more displays. The remote has a range of between 15 to 30 feet (line of sight).

### **COUNT TIMER**

The count up or countdown timers will count days, hours, minutes, seconds, and 100th of seconds.

The timer can be set to any time and begin counting up or down with the press of a button on the remote or with the push button wired to the back of the display.

### **CLOCK**

With improved internal clock components the result is a very accurate time-of-day clock, available in 4 or 6-digit modes. The 4-digit displays hours and minutes or minutes and seconds. The 6-digit displays hours, minutes, and seconds.

