

SAAB SEAEYE

Falcon



Falcon





The Falcon is the world's most successful underwater electric robotic system of its class.

Powered by a single-phase 110/230 VAC supply, Falcon is lightweight and portable for easy deployment, and comes rated to a depth of 300m or 1000m for the DR version.

Five powerful thrusters provide precise control and maintain a stable platform in strong currents and turbulent waters. An open frame construction and distributed intelligence enable easy attachment of a range of sophisticated sensors, sonars, tooling and accessories.

Using touchscreen and joystick technology, the user-friendly configuration is combined with the advanced iCON intelligent control software to provide improved vehicle control and diagnostic data as well as the ability to customise the pilot display and enable features such as station keeping.

Saab Seaeye offer both in-house and on-site training, every customer is designated an account coordinator offering a rapid response for spares, repairs and servicing and a vital contact point for import / export and shipping issues. Our emergency technical support team is available 24 hours a day with engineers who have an extensive technical knowledge of our systems combined with practical industry knowhow.

Many organisations choose Falcon because of:

- Portability
- Single-phase 110/230 VAC supply
- Versatility
- Powerful / stable platform
- Open frame construction
- Easy addition of sensors and tooling

- Advanced surface control equipment
- Training
- Aftersales and 24 hour technical support
- Rental income opportunities
- High resale value
- Many Falcon trained pilots.

About Us

Saab Seaeye is the world's largest manufacturer of electric underwater robotic systems. With over 30 years of providing ROV solutions to a wide variety of subsea industries, Saab Seaeye continues to inspire pioneering developments that lead the industry with innovative solutions trusted to perform complex tasks in some of the most hostile environments on the planet.

A wholly owned subsidiary of Saab, we have facilities in the UK, Sweden and the USA, along with substantial water tank and lake test facilities. Over 80% of our systems are exported to markets that span the globe.

Saab Seaeye is certified by DNV.GL to ISO 9001, ISO 14001 and OHSAS 18001.

Market Sector Applications

Many different market sectors deploy our Falcon systems in a vast array of demanding situations where they work tirelessly for extended periods in the most challenging conditions. Tasks include observation, inspection, repair and maintenance, diver support, survey, intervention, salvage support, deep tunnel and dam inspection, security, search and rescue operations, UXO clearance, decommissioning, marine science, archaeology, aquaculture and environmental monitoring.

Key to the success of the company is the reliability and capability of our systems and the renowned support and service we offer our customers in helping find solutions to their special requirements - and afterwards being available for every moment of every day throughout the life of their vehicle, wherever it is in the world.





































2 SAAB SEAEYE - FALCON 3

Falcon

Falcon 300 msw



navigation and target location.

CAMERAS

Wide angle, low light, colour inspection camera supplied as standard. Choice of additional colour zoom, low light B&W navigation, colour HD or digital stills cameras.

TILT PLATFORM

180° tilt platform for up to multibeam imaging sonar.

two cameras, light or 2D

MANIPULATOR

Electric three jaw manipulator with soft rope cutter blade.

Falcon DR 1000 msw

TILTING LIGHTS

FIBRE OPTIC UPGRADE

Available for Falcon 300 msw, providing increased camera and sensor capability or up to 1100m of tether.

keeping as an option.

MULTIBEAM SONARS

THRUSTERS

Four vectored and one vertical high efficiency thrusters with magnetically coupled propellers for low maintenance and integral drive for precise vehicle control.

CHASSIS

Open frame design is extremely robust and lightweight while providing free water flow and a large volume for fitting further equipment.

environmental sensors. Tooling and sensors are fully integrated into vehicle telemetry system.

Customisation

modular vehicle design.

The system can be easily customised due to the

flexibility of the distributed control system and

MAINTENANCE

The protective cover can be easily removed to provide easy access to the system for maintenance and the addition of system options.





SAAB SEAEYE - FALCON SAAB SEAEYE - FALCON 5

Falcon Surface Equipment

ICONSaab Seaeye



The Falcon surface unit with Saab Seaeye's iCON control system includes a 22" detachable daylight viewable touchscreen, fully customisable screen layouts and data displays - with storage for multiple layouts.

It has digital graphics and an analogue video overlay, four video outputs for remote screens / recorders, live vehicle diagnostics and system configuration windows.

AUTOPILOTS

Auto heading & depth (latch and track modes)

Auto altitude option

Station keeping with fine position control

Relative waypoint control and auto speed



The Falcon surface unit also features 20 hrs of integrated video recording (.ASF H.264 encoded format), .jpg stills capture to an integral hard disk or USB drive for playback on any windows machine, serial data import / export, a USB hand controller and an on-screen virtual controller.

Accessories











Cleaning brush


Wire rope cutter

Multibeam sonar

CP probe / UT gauge

gauge Pipe tracker

Deployment Options







Case winch







MK8 electric winch

SAAB SEAEYE - FALCON 7



SAAB SEAEYE

Specifications



Depth rating (m) Length (mm) Height (mm) Width (mm)	300 1000 500 600	1000 1055 555 600
Weight in air (kg) Payload (kg)	60 14	100 15
Forward thrust (kgf) Lateral thrust (kgf) Vertical thrust (kgf)	50 28 13	50 28 13
Speed (knots)	>3	>3
Thruster type Horizontal thrusters Vertical thrusters	S1-MCT01 4 1	S1-MCT01 4 1
Auto-depth Auto-heading Auto-altitude Auto pitch / roll Station keeping	√ √ option - option	√ √ option - option
Video channels Video transmission LED lights (standard quantity) Tilt platform Pan and tilt platform	1 STP/FO 2 √	2 FO 2 √
iCON	√	√
Typical manipulator function (f) Tooling 3PH power outlet	1f or 5f no	1f or 5f no
Power input phases Voltage (Vac) Option Frequency (Hz) Battery capacity (kWh) Endurance (hours)	single 110/230 - 50/60 n/a n/a	single 110/230 - 50/60 n/a n/a

Falcon Falcon DR





Saab Seaeye Ltd

20 Brunel Way, Segensworth East, Fareham, Hampshire, PO15 5SD, United Kingdom
Tel: +44 (0) 1489 898000 Fax: +44 (0) 1489 898001 e-mail: solutions@saabseaeye.com www.saabseaeye.com

Saab Seaeye, Saab North America

Tel: +1 (571) 294 8418 e-mail: rovusa@seaeye.com www.saabseaeye.com